



U.S Conv. Appln. No.: 10/693,166 POLYMORPHIC FORMS OF NATEGLINIDE Atty. Docket No.: 1662/611055










Atty. Docket No.: 1662/611055













Atty. Docket No.: 1662/611055








25900 - 24500 - 23100 - 21700 - 17500 - 17500 - 11900 - 10500 - 2100 - 2

























Atty. Docket No.: 1662/611055



























Atty. Docket No.: 1662/611055



THERMALLY STABLE AT LOWER HEATING TEMPERATURES (~50°C)

THERMALLY STABLE FORMS.


TRANSFORMATION AFTER STORAGE AT ROOM TEMPERATURE.


MIXTURE WITH STARTING FORM.


\*\*\*\*


RESULTS MIGHT VARY DEPENDING ON THE SOLVATE OF FORM EPSILON USED. THERMAL STABILITY CHART WHEN STARTING MATERIAL CONTAINS SEEDS.


FIG. 28



























Atty. Docket No.: 1662/611055




Atty. Docket No.: 1662/611055














U.S Conv. Appln. No.: 10/693,166 POLYMORPHIC FORMS OF NATEGLINIDE Atty. Docket No.: 1662/611055
























U.S Conv. Appln. No.: 10/693,166 POLYMORPHIC FORMS OF NATEGLINIDE


Atty. Docket No.: 1662/611055


















U.S Conv. Appln. No.: 10/693,166 POLYMORPHIC FORMS OF NATEGLINIDE

Atty. Docket No.: 1662/611055











U.S Conv. Appln. No.: 10/693,166 POLYMORPHIC FORMS OF NATEGLINIDE Atty. Docket No.: 1662/611055




U.S Conv. Appln. No.: 10/693,166 POLYMORPHIC FORMS OF NATEGLINIDE Atty. Docket No.: 1662/611055



U.S Conv. Appln. No.: 10/693,166 POLYMORPHIC FORMS OF NATEGLINIDE

Atty. Docket No.: 1662/611055 63/68



Comparison between the impurity profile of Nateglinide crystallized in IPA-H2O and Nateglinide in Methanol-H<sub>2</sub>0

Sample No Solvent	Solvent				E	purity p	rfile by F	Impurity prfile by RRT [% w/w]		
		D-PA (0.23)	(0.25)	(0.46)	(0.80)	lpcha (0 90)	Dimer	Ipcha Dimer Methyl Ester	(1.76)	-PA (0.25) (0.46) (0.80) Ipcha   Dimer   Methyl Ester   (1.76)   Isopropyl Ester
		(0.50)				(0.03)	(1.30)	(1.51)		(2.3)
RL-2155/1	Methanol-H <sub>2</sub> O <	<0.01		0.02	<0.01	0.02 <0.01 0.03 0.02	0.02	2.91	0.04	
RL-2163/4	IPA-H <sub>2</sub> 0	<0.01	0.01 0.04	21	0.02	0.02 0.02 0.01	0.01	1	0.03	0.05


Note: D-PA means D-Phenyl Alanine

Ipcha means Iso propyl cyclohexyl carboxylic acid

Both are the starting materials of the product


(-)-N-[(trans-4-isopropyl cyclohexane)carbonyl]-D-phenylalanine


FIG. 64



U.S Conv. Appln. No.: 10/693,166 POLYMORPHIC FORMS OF NATEGLINIDE

Atty. Docket No.: 1662/611055





Atty. Docket No.: 1662/611055

